

DfE Furniture Framework

Lot 2 - Fitted Furniture




Made in the UK



Min 10 year warranty*



100% Recyclable*



Department
for Education

The DfE furniture framework, launched in November 2020, helps schools, academy trusts and construction companies to achieve a fast route to market that is OJEU compliant, cost effective and with products that have been selected and endorsed by the DfE.

*excludes Lockers



LOT 2: FITTED FURNITURE WORKTOP- SGL (SOLID GRADE LAMINATE)

PRODUCT
DATA

SGL is a Solid Grade Laminate which is primarily either 16mm or 12mm thick. It is incredibly hard wearing and impermeable to water, with a high chemical and impact resistance and used as the product of choice in demanding educational environments.

Construction

SGL comes in 12 and 16mm thicknesses, it doesn't have an applied edging as the core is machined and finished, this gives an integral black finish edge normally with a chamfer or bullnose.

Range & Uses

The Labgrade range has a 16mm and 12mm thickness choice and they each have various uses:

16mm – this is primarily a worktop product and is often used in laboratories, technology areas and sometimes IT Suites. It can be used for table tops to match the fixed worktops used in these areas.

12mm – this is mainly used for table tops where there is a supporting frame around the perimeter of the top, both in laboratories and technology areas to match the perimeter furniture or in classrooms and teaching spaces.

Technical

SGL is tested to EN438 and is an immensely strong range of solid panels that can withstand high impact environments:

- Non-porous surface and edges
- Easy to clean
- Resistance to stain
- Resistance to chemicals (testing sheet available on request)
- Resistance to shock
- Resistance to scratching
- Exceptional resistance to moisture
- Exceptional resistance to impact
- Colour stability
- Approved for contact with foodstuffs



Operating & Maintenance Information

Trespa worktops are designed to withstand the regular cleaning regimes that are essential to maintenance and hygiene. These products are easy to clean and in most cases, wiping down the panel with warm water and a mild cleaning agent is adequate. In high usage environments, it can be cleaned with aggressive disinfectants and a pressure washer if necessary. Graffiti can be cleaned off using the standard organic solvents (e.g. acetone) without any effect on the panel colour. Should it be necessary, these panels can be cleaned with non-abrasive cleaning materials and disinfectants although in most cases warm water and a mild detergent will keep the panels clean and hygienic.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE WORKTOP-HPL (HIGH PRESSURE LAMINATE)

PRODUCT
DATA

HPL is 0.8mm High Pressure Laminate which is normally bonded onto a MDF or Chipboard core, although used for furniture manufacturing because of the wide range of finishes it is available in, it is primarily a worktop product used where increased impact resistance and durability is required.

Construction

HPL is 0.8mm and bonded onto a 16mm or 22mm MDF core with either a balancer or second laminate sheet to the reverse.

HPL boards are then edged using 2mm PVC edging, normally to match the HPL and secured using PU glue.

Ranges

Core Finishes – this range is HPL laminates which are stock and widely used across our range. The finishes are primarily wood grains along with a few plain finishes.

Designer Finishes – this range of HPL laminates is a premium selection offering a wide range of finishes including plain colours.

Uses

Laminate is often used in dining hall table tops, worktops in technology areas and other slightly more demanding areas of education. It is also used where a feature finish is required due to the wide range of laminate finishes available.



Technical

HPL is tested to EN438 for:

- Resistance to impact
- Resistance to staining
- Thickness tolerances
- Resistance to blistering



Operating & Maintenance Information

HPL worktops are designed to withstand the regular cleaning regimes that are essential to maintenance and hygiene. These products are easy to clean and in most cases, wiping down the panel with a damp cloth and a mild cleaning agent is adequate. In high usage environments, it can be cleaned with aggressive disinfectants if necessary. Should it be necessary, these panels can be cleaned with non-abrasive cleaning materials and disinfectants.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE

CANTILEVERED DOUBLE OR SINGLE LEG FRAME

PRODUCT
DATA


The wall fixing bracket means the same leg can carry more worktop depths. Can be spaced at 800mm centres but using the rails can set at 1200mm centres or 1600mm centres.

Construction

Fully welded 50mm x 25mm tubular mild steel legs, epoxy powder coated.

Heavy duty adjustable feet and floor fixings.

Minimum 2no. fixings to wall to wall and 4no. to worktop.



10 years
PRODUCT
WARRANTY



100%
RECYCLABLE

Operating & Maintenance Information

The Benching frame is manufactured from 55% recycled steel.

No maintenance required.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE UNDERBENCH CUPBOARD (2 DOOR)

PRODUCT
DATA

The Capacity Storage Range by Pinnacle Furniture is a specifically designed storage system for education, it has a number of uniquely designed features to ensure maximum lifespan and practicality. All our units are FIRA tested to BSEN16121:2013 Level 2 Extreme Contract Use and have 170° hinges with additional strengthening hinge plates. The carcass colour is light grey and all units have a removable 18mm back to enable access to services. Available in a wide range of door and drawer front colours.

Construction

- 18mm HPL carcass with adjustable feet.
- MDF plinth with sealing strip to protect against ingress of moisture.
- Soft close drawers as standard.
- Hinges are 2 part, all steel, 170 degree opening. Mounted within the door via 2 screws into a Nylon insert and a 35mm socket and fixed to the carcass with hinge security plates greatly increasing the strength of the hinge fixing. Hinges provide door height / depth adjustment.

Dimensions

Double Door Unit - H520 / H720mm, D480mm, W1010mm.

Environmental

All carcasses, doors and drawer fronts manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Handles

Bow handle - traditional shape, satin stainless steel finish, H218mm
Flush handle - recessed into door, matt nickel plated, H56mm, D110mm
Round handle - satin stainless steel finish, finger grip

Locks

Locks available. Keyed alike with optional master key locking available.

Colour

Carcass - U112 Light Grey. We offer a wide range of door and drawer front colours from our core finishes range or designer range.



Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime: Where cleaning of the units / doors is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

The capacity storage range has several moving parts such as hinges and drawers which may require occasional adjustment or alignment. Spares are available from Pinnacle Furniture.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 pinnacle

 eightspace

LOT 2: FITTED FURNITURE UNDERBENCH CUPBOARD (1 DOOR)

PRODUCT
DATA

The Capacity Storage Range by Pinnacle Furniture is a specifically designed storage system for education, it has a number of uniquely designed features to ensure maximum lifespan and practicality. All our units are FIRA tested to BSEN16121:2013 Level 2 Extreme Contract Use and have 170° hinges with additional strengthening hinge plates. The carcass colour is light grey and all units have a removable 18mm back to enable access to services. Available in a wide range of door and drawer front colours.

Construction

- 18mm HPL carcass with adjustable feet.
- MDF plinth with sealing strip to protect against ingress of moisture.
- Soft close drawers as standard.
- Hinges are 2 part, all steel, 170 degree opening. Mounted within the door via 2 screws into a Nylon insert and a 35mm socket and fixed to the carcass with hinge security plates greatly increasing the strength of the hinge fixing. Hinges provide door height / depth adjustment.

Dimensions

Double Door Unit - H520 / H720mm, D480mm, W1010mm.

Environmental

All carcasses, doors and drawer fronts manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Handles

Bow handle - traditional shape, satin stainless steel finish, H218mm
Flush handle - recessed into door, matt nickel plated, H56mm, D110mm
Round handle - satin stainless steel finish, finger grip

Locks

Locks available. Keyed alike with optional master key locking available.

Colour

Carcass - U112 Light Grey. We offer a wide range of door and drawer front colours from our core finishes range or designer range.



Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime: Where cleaning of the units / doors is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

The capacity storage range has several moving parts such as hinges and drawers which may require occasional adjustment or alignment. Spares are available from Pinnacle Furniture. Following these procedures will ensure product longevity and ease of use.

LOT 2: FITTED FURNITURE UNDERBENCH TRAY UNIT

PRODUCT
DATA

The Capacity Storage Tray Units by Pinnacle Furniture is a specifically designed storage system for education, it has a number of uniquely designed features to ensure maximum lifespan and practicality. All our units are FIRA tested to BSEN16121:2013 Level 2 Extreme Contract Use. The carcass colour is light grey and has a removable 18mm back to enable access to services.

Construction

- 18mm HPL carcass with adjustable feet.
- MFC plinth with sealing strip to protect against ingress of moisture.

Environmental

All carcasses, doors and drawer fronts manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Tray Options

Full range of Gratnell trays available in a wide range of colours.
Tray unit accommodates shallow, deep and jumbo size trays.
Accommodates quantities of 12,18 and 24 trays.

Colour

Carcass - U112 Light Grey.




Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the units / doors is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE

OPEN UNDERBENCH PAPER UNIT

PRODUCT
DATA

The Capacity Storage Range by Pinnacle Furniture is specifically designed for education and has a number of Specialist Units which marry up with the base unit dimensions in the Capacity Range for uniformity. All our units are FIRA tested to BSEN16121:2013 Level 2 Extreme Contract Use. The carcass colour is light grey.

Construction

- 18mm HPL carcass
- Non-removeable backs

Dimensions

Paper Store Unit - H720mm, D470mm, W1010mm - 8 horizontal sections

Environmental

All carcasses, doors and drawer fronts manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Colour

Carcass - U112 Light Grey. We offer a wide range of drawer front colours from our core finishes range or designer range.



Operating & Maintenance Information

The capacity storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the units / doors is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

The capacity storage range has several moving parts such as drawers which may require occasional adjustment or alignment. Spares are available from Pinnacle Furniture.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE WALL CUPBOARD

PRODUCT DATA

The Capacity Storage Range by Pinnacle Furniture is specifically designed for education and has a number of Wall Units which marry up with the base unit dimensions in the Capacity Range for uniformity. All our units are FIRA tested to BSEN16121:2013 Level 2 Extreme Contract Use and have 170° hinges with additional strengthening hinge plates. The carcass colour is light grey and all units have non-removable backs. Available in a wide range of door colours.

Construction

- 18mm HPL carcass.
- Non-removable backs.
- Hinges are 2 part, all steel, 170 degree opening. Mounted within the door via 2 screws into a Nylon insert and a 35mm socket and fixed to the carcass with hinge security plates greatly increasing the strength of the hinge fixing. Hinges provide some door height / depth adjustment.

Dimensions

Double Door Unit - H720mm, D300mm, W1010mm.

Environmental

All carcasses, doors and drawer fronts manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Handles


Bow handle - traditional shape, satin stainless steel finish, H218mm
Flush handle - recessed into door, matt nickel plated, H56mm, D110mm
Round handle - satin stainless steel finish, finger grip

Locks

Locks available. Keyed alike with optional master key locking available.

Colour

Carcass - U112 Light Grey. We offer a wide range of door colours from our core finishes range or designer range.



Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the units / doors is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

The capacity storage range has several moving parts such as hinges and drawers which may require occasional adjustment or alignment. Spares are available from Pinnacle Furniture.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE WALL SHELVING WITH SUPPORTS

PRODUCT
DATA

Our wall shelving with supports offer secure and durable shelving solutions for various learning environments.

Construction

Space for multiple shelves.

Manufactured board.

18mm thick HPL (High Pressure Laminate) shelves.

Matching 2mm thick ABS edging.

Uprights and brackets EPC steel.

Dimensions

Shelf dimensions- 1050x455mm



PRODUCT
WARRANTY



100%
RECYCLABLE

Operating & Maintenance Information

Wall shelving is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the shelves is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**

LOT 2: FITTED FURNITURE SCIENCE SERVICE PEDESTALS

PRODUCT
DATA

Science service pedestals by Pinnacle Furniture allow for flexible room layouts while providing services to multiple students at one time. The pedestals can be chosen with all worktop types and can incorporate power, data, gas taps and sinks.

Construction

- 18mm MFC carcass with a wide range of panel colours.
- 16mm SGL worktop as standard.
- Removeable access panel.
- Ventilation for pedestals with gas.

Configurations / Dimensions

Standard Science Service Pedestal:
Heights; H850, H900, H1100mm
Widths; W600, W1200mm
Depth; D600mm
Includes lockable cupboard.

Science Service Pedestal with Sink and Double Tap:

Heights; H850, H900, H1100mm
Widths; W600, W1200mm
Depth; D600mm
Includes sink, double tap, waste and trap along with a lockable cupboard.



Environmental

All carcasses and panels are manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.



Colour

Wide range of panel colours from Core Finishes range or Designer Ranges.

Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the pedestals is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 pinnacle

|  eightspace

LOT 2: FITTED FURNITURE TEACHER 'L' SHAPED SERVICE DEMO DESK

PRODUCT
DATA

Dedicated teachers work area with options for all services including fume cupboard docking stations.

Construction

- 18mm HPL carcass with a wide range of panel colours.
- 16mm SGL worktop as standard.
- Removeable access panel.
- Ventilation for pedestals with gas.

Configurations / Dimensions

Heights; H900mm
Widths; W1800 & 2400mm
Depth; D600mm
Desk return; 1700mm



Environmental

All carcasses and panels are manufactured from FSC board.
All manufacturing and packaging waste is recycled.
All units are 100% recyclable.

Colour

Wide range of panel colours from Core Finishes range or Designer Ranges



Operating & Maintenance Information

The Capacity Storage range is considered to be primarily maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the pedestals is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these procedures will ensure product longevity and ease of use.

LOT 2: FITTED FURNITURE

4 DOOR LOCKER

PRODUCT
DATA

Metal door lockers are an extremely durable material which will prevent vandalism and ensure longevity of your lockers. The lockers provide a stylish and secure storage solutions for your environment. Manufactured in the UK to the highest standards.

Construction

Steel carcass locker with anti-rust key coating.

Manufactured in the UK.

Fire tested and approved to EN13501-1:2007+ A1:2009.

Lock Options

- Hasp and staple, cam (keyed), or combination
- Cam lock comes with 2 user keys, but master keys or additional user keys can also be requested at an extra charge.
- Hasp and staple locks do not include padlocks - the padlock shank should measure between 7 and 8mm.
- The locker pricing includes a cam or hasp and staple lock but a combination lock is chargeable.

Dimensions

Our metal lockers are available in 1, 2, 3, 4, 5 or 6 compartments

Available in nests of 1, 2 or 3

H1780mm

W305mm

D305mm

Finish

99.9% reduction of bacteria including MRSA & E-COLI for the life of the coating

Locker carcass available in Black, Silver and Smoke White

Our Steel locker door range is available in a variety of colours



FIRE HAZZARD
TESTED



1
years
PRODUCT
WARRANTY



DELIVERED
ASSEMBLED

Operating & Maintenance Information

The Metal locker range is considered to be maintenance free, however the following should be observed during the products lifetime:

Where cleaning of the lockers are required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these procedures will ensure product longevity and ease of use.



020 8641 1000



sales@pinnacle-furniture.co.uk

 **pinnacle**

| **eightspace**



EMAIL

sales@pinnacle-furniture.co.uk

PHONE

020 8641 1000

WEBSITE

www.pinnacle-furniture.co.uk

OFFICE LOCATIONS

Gatwick | Cardiff | Aberdeen